



A. NARDUCCI

WELDING PRODUCTS

TABLE POSITIONER - U001631T

TR200-V1 - capacity: 200 kg



Make & type		TR200-V1	
Capacity	200 kg	@ 115 mm from table surface	
Tilting moment	40 kgm	Calculated from tilting trunions	
Rotating torque	34 kgm		
Table	Size	Ø 650 mm	
	Type	Cutted steel with 4 radial T-slots for workpiece fastening	
	Support type	Axis and double bearings	
Table height	Of table plate, placed horizontal	770 mm	
	Of rotation axis, with table placed vertical	685 mm	
Table tilting	Manual, trough handwheel, wormreducer, pinion and gear sector		
Table rotation	Electromechanical, trough motorgear		

POSITIONER - U001526 T - TR200-V1 - Capacity: 200 kg

Rotation speed		0.20 ÷ 5.00 rpm. Adjusted with potentiometer
Controls & electric system	Control panel	Placed onboard, fitted with plugs for hand control / foot pedal. On/Off switch – Automatic/Manual rotation – Rotation speed control on handcontrol/controlpanel- Input: 380V - ThreePhase
	Hand control	On demand <ul style="list-style-type: none"> ▪ Buttons for table rotation forward/stop/reverse ▪ Emergency stop
	Foot control	<ul style="list-style-type: none"> ▪ ROTATION FORWARD/STOP/REVERSE ▪ EMERGENCY STOP BUTTON
Dimensions	Base dimension	750 x 635 mm
	Overall dimensions	825 x 650 x (h) 770 mm
Machine weight		190 kg
Fabrication year		2018
Machine history and services		
Notes		Serial number 156/18



